



PROVEN & TRUSTED SINCE 1952

Equipment Price List

Effective March 20, 2023

Ventless Hoods (Recirculating Systems)



Model	Width	Depth	Height	Shipping Weight	Electrical Specs	How To Specify	Price
OVH-10	35-15/16" [913 mm]	40-1/2" [1029 mm]	30-1/16" [764 mm]	245 lbs [111 kg]	208/240V 3 Amps 1 or 3-Ph	Consult factory for approved applications	\$12,400
PO-VH	60-7/16" [1535 mm]	41-9/16" [1056 mm]	32-15/16" [837 mm]	455 lbs [206 kg]	208/240V 5 Amps 1 or 3 Ph	Consult factory for approved applications	\$13,000
GVH-C	32" [813 mm]	36-11/16" [932 mm]	58-7/8" [1495 mm]	435 lbs [197 kg]	208/240V 5 Amps 1 or 3 Ph	Consult factory for applications	\$27,400
FSH-2	29-11/16" [754 mm]	31-1/2" [800 mm]	83-3/4" [2128 mm]	415 lbs 188 kg	208/240V 5 Amps 1 Ph	Consult factory for approved applications	\$20,400
FSH-2A-99	30-7/16" [748 mm]	40-3/16" [1021 mm]	95-3/4" [2432 mm]	610 lbs [277 kg]	208/240V 5 Amps 1 Phase	Consult factory for approved applications	\$23,100

* Prices subject to change without notice.




GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA
 Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537
 Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Ventless Hoods (Recirculating Systems) - Continued

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	How To Specify	Price
 <p>GVH-F</p>	37-1/8 [943 mm]	36-11/16" [932 mm]	82-3/16 [2088 mm]	485 lbs [220 kg]	208/240V 5 Amps 1 or 3 Ph	Consult factory for applications	\$28,800
 <p>FSH-4</p>	48-5/8" [1234 mm]	49-11/16" [1263 mm]	76-5/16" [1938 mm]	645 lbs [293 kg]	208/240V 8 Amps 1 Ph	Consult factory for applications: Specify: ▪ Ceiling Mount	\$34,700
w/72" Stand			111-3/8" [2829 mm]	835 lbs [379 kg]		▪ 72" Stand	
 <p>FSH-6</p>	72-11/16" [1855 mm]	49 5/8" [1260 mm]	74" [1880 mm]	785 lbs [353 kg]	208/240V 8 Amps 1 Ph	Consult factory for applications: Specify: ▪ Ceiling Mount	\$39,300
w/72" Stand			109-1/4" [2775 mm]	925 lbs [420 kg]		▪ 72" Stand	

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Multi-Purpose, Square-Vat Electric Fryers

Small, Multi-Purpose Electric: Single -or- Banked ... Computer Control Only



GBF-35/50 Series



Model	Width	Depth	Height	Shipping Weight	Electrical Specifications (per Fryer)	Capacity (per Fryer)	How to Specify	Price
GBF-35 Single unit computer controller	16-1/4" [412 mm] (Sgl) up to 48-3/4" [1236 mm]	35-3/8" [900 mm]	49-1/8" [1247 mm]	385 lbs [175 kg] (Sgl) up to 768 lbs [348 kg] (3-Bank)	18 kW [16.5 kW - 380V] 208-240-380/415/50-60/3 51-44-27A	Shortening: 35 lbs. 15.9 kg Product: Fries = 5 lbs Chicken = 7 lbs	GBF-35 + # Banked + Lift option + Oil option	\$20,200
					10 kW 208-240/60/3-ph 28-24A			
					208-240/60/1-ph 50-43A			
GBF-50 Single unit computer controller	16-1/4" [412 mm] (Sgl) up to 48-3/4" [1236 mm]	35-3/8" [900 mm]	49-1/8" [1247 mm]	385 lbs [175 kg] (Sgl) up to 768 lbs [348 kg] (3-Bank)	18 kW [16.5 kW - 380V] 208-240-380/415/50-60/3 51-44-27A	Shortening: 50 lbs. 22.7 kg Product: Fries = 5 lbs Chicken = 12 lbs	GBF-50 + # Banked + Lift option + Oil option	\$20,700
					10 kW 208-240/60/3-ph 28-24A			
					208-240/60/1-ph 50-43A			
Banked Multi-Well Option	<ul style="list-style-type: none"> Limit - (2) add-on wells - (3) total per appliance When specified <i>Basket Lift</i> option is mixed, units with the lifts will be oriented from the left side of the bank 						Add per each well added	GBF-353 \$13,500
								GBF-50 \$14,100

Single



GBF-70 Series



Model	Width	Depth	Height	Shipping Weight	Electrical Specifications (per Fryer)	Capacity (per Fryer)	How to Specify	Price
GBF-70M Single unit computer controller	21-21/32" [550mm] Single up to 61-27/32" [1571 mm] 3-Bank *Add 2-1/4" w/ option [T]	41-1/4" [1048mm] 58-1/2" [1486mm] req'd for frt door opening	45-27/32" [1164mm] 11-9/32" [287mm] add'l req'd for bskt lift	385 lbs [175 kg] (Sgl) up to 768 lbs [348 kg] (3-Bank)	208-240-480/60/3-ph 57-50-26A 19.95 kW	Shortening: 70 lbs. 31.8 kg Product: Fries = 5 lbs Chicken = 21 lbs	GBF-70M + # Banked + Lift option + Oil option	\$24,800

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Equipment Price List

Effective March 20, 2023

Multi-Purpose, Square-Vat Electric Fryers - Continued

Small, Multi-Purpose Electric: Single -or- Banked ... Continued

AVAILABLE OPTIONS: *Option code [T] cannot be specified along with code [B]			
Basket Lift	Two (2) auto-basket lifts per well (may be added to all or only some units of a multi-well appliance)	Add per each well equipped	\$3,100
Cooking Oil Top-Off	On-board fresh oil top-off system ... Option code [T]*	Add per appliance	\$2,950
Bulk <i>Fresh Oil</i> supply option	Unit is factory-plumbed for direct connection to a customer-provided bulk <i>fresh oil</i> supply system ... Option code [B]	Add per appliance	\$340
Bulk <i>Waste Oil</i> option	Unit is factory-plumbed for direct connection to a customer-provided bulk <i>waste oil</i> collection system ... Option code [W]	Add per appliance	\$525

Large, Multi-Purpose Electric: Single -or- Banked; Computer Control Only



EOF-20
Single



EOF 20/20



EOF 20/20/20

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
EOF-20 Single	22-3/4" [577 mm]	41-13/16" [1062 mm]	48 3/4" [1239 mm]	442 lbs [201 kg]	Per Unit 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W	Per Fryer Shortening: 115 lbs. [32 kg] Product: Chicken - 27 - 30 lbs [12 - 14 kg]	EOF-20 + Lift Option	\$26,500 w/o Lifts
EOF-20/20 2-Bank	44-1/8" [1121 mm]	41-13/16" [1062 mm]	48 3/4" [1239 mm]	715 lbs [324 kg]	Per Unit 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W	Per Fryer Shortening: 115 lbs. [32 kg] Product: Chicken - 27 - 30 lbs [12 - 14 kg]	2-Bank EOF-20/20 + Lift Option	\$43,500 w/o Lifts
EOF-20/20/20 3-Bank	65-9/16" [1665 mm]	41-13/16" [1062 mm]	48 3/4" [1239 mm]	1005 lbs [456 kg]	Per Unit 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W	Per Fryer Shortening: 115 lbs. [32 kg] Product: Chicken - 27 - 30 lbs [12 - 14 kg]	3-Bank EOF-20/20/20 + Lift Option	\$59,900 w/o Lifts
Basket Lift Option	Basket Lifts (2 ea.) can be added to all (or some) vats.						Added cost per vat	\$3,100

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.









PROVEN & TRUSTED SINCE 1952

Equipment Price List

Effective March 20, 2023

Multi-Purpose, Square-Vat Electric Fryers - Continued

Extra-High Volume, Multi-Purpose Electric: Banked Only ... Computer Controller Only

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
 <p>EOF 10-10/20 (Basket Lifts std. on 10-10" vats)</p>	42-1/2" [1080 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	904 lbs [410 kg]	(EOF-10-10) 208V / 3-Ph / 68A 480V / 3-Ph / 31A 12,000 W (EOF-20) 208V / 3-Ph / 76A 480v / 3-Ph / 33A 24,000 W	Shortening Per Vat (EOF-10-10) 55 lbs [25 kg] (EOF-20) 115 lbs [32 kg]	2-Fryer Bank 3 Vats NO Landing Table	\$50,400
 <p>EOF 20/FFLT/24 (Basket Lifts std. on 20" vat)</p>	73-1/2" [1867 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1069 lbs [485 kg]	(EOF-20) 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W (EOF-24) 208V / 3-Ph / 100A 480v / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-20) 115 lbs [32 kg] (EOF-24) 170 lbs [77 kg]	2-Fryer Bank w/Landing Table	\$51,500
 <p>EOF 20/FFLT/24/24 (Basket Lifts std. on 20" vat)</p>	98-13/16" [2510 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1311 lbs [595 kg]	(EOF-20) 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W (EOF-24) 208V / 3-Ph / 100A 480v / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-20) 115 lbs [32 kg] (EOF-24) 170 lbs [77 kg]	3-Fryer Bank w/Landing Table	\$69,900
 <p>EOF 10-10/FFLT/24 - Split Vat - (Basket Lifts std. on 10-10" vat)</p>	73-1/2" [1867 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1069 lbs [485 kg]	(EOF-10-10) 208V / 3-Ph / 68A 480V / 3-Ph / 31A 12,000 W (EOF-24) 208V / 3-Ph / 100A 480v / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-10-10) 55 lbs [25 kg] (EOF-24) 170 lbs [77 kg]	2-Fryer Bank 3 Vats w/Landing Table	\$57,300
 <p>EOF 20/FFLT/24/24 - Split Vat - (Basket Lifts std. on 10-10" vat)</p>	93-13/16" [2510 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1311 lbs [595 kg]	(EOF-10-10) 208V / 3-Ph / 68A 480V / 3-Ph / 31A 12,000 W (EOF-24) 208V / 3-Ph / 100A 480v / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-10-10) 55 lbs [25 kg] (EOF-24) 170 lbs [77 kg]	3-Fryer Bank 4 Vats w/Landing Table	\$76,200
 <p>EOF-20/24/24 (Basket Lifts std. on 20" vat)</p>	72" [1829 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1250 lbs [567 kg]	(EOF-20) 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W (EOF-24) 208V / 3-Ph / 100A 480v / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-20) 115 lbs [32 kg] (EOF-24) 170 lbs [77 kg]	3-Fryer Bank NO Landing Table	\$66,800
Basket Lift Option	Basket Lifts (2 ea.) can be added to all (or some) of those vats where are not standard.						Added cost per vat	\$3,100

Note: Power requirements and capacities stated are for each vat ... separate power service required for each fryer unit.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA
 Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537
 Website: www.gfse.com • Email: services@gfse.com

* Prices subject to change without notice.

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Equipment Price List

Effective March 20, 2023

Kettle Fryers - Electric



GEF-Series

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How To Specify	Price
GEF-400	25-1/16" [612 mm]	38-7/8" [988 mm]	43-7/16" [1104 mm]	435 lbs [197 kg]	10,000 W 208V / 60Hz / 1Ph / 48A 240V / 60Hz / 1Ph / 42A 208V / 60Hz / 3Ph / 28A 240V / 60Hz / 3Ph / 24A	Shortening: 45 lbs [21 kg] Product: Chicken Pieces 14 lbs. [6 kg]	Medium Capacity Chicken Fryer	\$20,500
GEF-560	25-1/16" [612 mm]	38-7/8" [988 mm]	43-7/16" [1104 mm]	435 lbs [197 kg]	15,000 W 208V / 60Hz / 1Ph / 72A 240V / 60Hz / 1Ph / 63A 208V / 60Hz / 3Ph / 43A 240V / 60Hz / 3Ph / 38A 480V / 60Hz / 3Ph / 19A 380-415V / 50Hz / 3Ph / 21A	Shortening: 60 lbs [27 kg] Product: Chicken Pieces 19 lbs. [9 kg]	Intermediate Capacity Chicken Fryer	\$21,100
GEF-720	25-1/16" [612 mm]	38-7/8" [988 mm]	43-7/16" [1104 mm]	435 lbs 197 kg	20,000 W 208V / 60Hz / 3Ph / 58A 240V / 60Hz / 3Ph / 49A 220V / 60Hz / 3Ph / 49A 480V / 60Hz / 3Ph / 25A 380-415V / 50Hz / 3Ph / 28A	Shortening: 75 lbs [34 kg] Product: Chicken Pieces 24 lbs. [11 kg]	Large Capacity Chicken Fryer	\$22,300

Kettle Fryers - Gas



GGF-Series

Model	Width	Depth	Height	Shipping Weight	Utility Specifications	Capacity	How to Specify	Price
GGF-400	24-3/8" [619 mm]	42-1/8" [1070 mm]	44-1/8" [1120 mm]	390 lbs. [177 kg]	Electrical: 120V / 60Hz / 1Ph / 7A Gas: Nat - 45,00 BTU @ 3.5"WC LP - 45,000 BTU @ 10.5"WC	Shortening: 45 lbs [21 kg] Product: Chicken Pieces 14 lbs. [6 kg]	Medium Round Pot Gas Fryer 45,000 BTU	\$23,100
GGF-720	24-3/8" [619 mm]	42-1/8" [1070 mm]	44-1/8" [1120 mm]	390 lbs. [177 kg]	Electrical: 120V / 60Hz / 1Ph / 7A Gas: Nat - 85,00 BTU @ 3.5"WC LP - 85,000 BTU @ 10.5"WC	Shortening: 75 lbs [34 kg] Product: Chicken Pieces 24 lbs. [11 kg]	Large Round Pot Gas Fryer 85,000 BTU	\$24,400

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



PROVEN & TRUSTED SINCE 1952

Equipment Price List

Effective March 20, 2023

Multi-Purpose, Square-Vat Ventless Fryers



Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
GBF 50-VH	20-5/16" 516 mm	39-3/16" 995 mm	86" 2184 mm	607 lbs 275 kg	208/240V 3-Ph = 51/44A 18,000W 208/240V 3-Ph = 29/25A 10,000W 208/240V 1-Ph = 50/43A 10,000W	50 lbs/ 22.7 kg shortening 5 lbs Fries 12 lbs Chicken	Small Capacity Open Vat Ventless Fryer	\$41,600 Computer Control ONLY
Auto Basket Lift Option	(2) factory-installed auto-basket lifts ... Option Code [L]						Add Per Fryer	\$3,100
WOG MP-VH	24-1/8" 613 mm	33-7/16" 849 mm	84" 2133 mm	602 lbs 274 kg	208/240V 3-Ph, 58/50A 50/60 Hz 20,400 Watts	70 lbs of shortening 32 kg	Large, open, ventless fryer	\$40,700 Computer Control ONLY

* Prices subject to change without notice.

GILES Food Service Equipment
ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA
Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537
Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Equipment Price List

Effective March 20, 2023

Ventless Kettle Fryer - Electric



GEF-VH Series

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
GEF 400-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 Hz 208/240V, 1-Ph = 50/44A 208/240V, 3-Ph = 30/26A 220V, 3-Ph = 26A 380/415V, 3-Ph = 15/15A 10,400W	14lb/6kg of chicken 45 lbs of shortening 21 kg	Medium Capacity Round Pot Ventless Fryer	\$44,500
GEF 560-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 Hz 208/240V, 1-Ph = 75/64A 208/240V, 3-Ph = 44/38A 220V, 3-Ph = 38A 380/415V, 3-Ph = 21/22A 15,400W	19lb/9kg of chicken 60 lbs of shortening 27 kg	Intermediate Capacity Round Pot Ventless Fryer	\$45,800

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA
Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537
Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



PROVEN & TRUSTED SINCE 1952

Equipment Price List

Effective March 20, 2023

Heated Merchandisers (Pans, Pan Grates & Self-Serve Tile Inserts Sold Separately)



Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
GHM-4C (3 Well) Full Serve	44-7/16" (1,124 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	489 lbs (222 kg)	208-240V, 1-Ph 60Hz	(3) 1/3-Size Pans (3) Full-Size Pans (**)	4-Ft Heated Merchandiser	\$14,500
GHM-4C (3 Well) Self-Service [Full Width]	44-7/16" (1,124 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	489 lbs (222 kg)	208-240V, 1-Ph 60Hz	(3) 1/3-Size Pans (3) Full-Size Pans (**)	4-Ft Heated Merchandiser	\$14,500
GHM-5C (4 wells) Full Serve	57-3/8" (1,449 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	520 lbs (236 kg)	208-240V, 1-Ph 60Hz	(4) 1/3-Size Pans (4) Full-Size Pans (**)	5-Ft Heated Merchandiser	\$16,800
GHM-5C/2 (4 Well) Self-Service [2 ft. Section]	57-3/8" (1,449 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	520 lbs (236 kg)	208-240V, 1-Ph 60Hz	(4) 1/3-Size Pans (4) Full-Size Pans (**)	5-Ft Heated Merchandiser	\$16,800
GHM-6C (5 Well) Full Serve	70-5/16" (1,786 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	621 lbs (282 kg)	208-240V, 1-Ph 60Hz	(5) 1/3-Size Pans (5) Full-Size Pans (**)	6-Ft Heated Merchandiser	\$18,500
GHM-6C/2 (5 Well) Self-Serve [2-ft Section]	70-5/16" (1,786 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	621 lbs (282 kg)	208-240V, 1-Ph 60Hz	(5) 1/3-Size Pans (5) Full-Size Pans (**)	6-Ft Heated Merchandiser	\$18,500
GHM-8C (7 Well) Full Serve	96-1/4" (2,445 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	818 lbs (371 kg)	208-240V, 1-Ph 60Hz	(7) 1/3-Size Pans (7) Full-Size Pans (**)	8-Ft Heated Merchandiser	\$26,900
GHM-8C/2 (7 Well) Self-Service [2-ft Section]	96-1/4" (2,445 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	818 lbs (371 kg)	208-240V, 1-Ph 60Hz	(7) 1/3-Size Pans (7) Full-Size Pans (**)	8-Ft Heated Merchandiser	\$26,900

Heated Merchandiser Portable Base



Base Type	Width	Depth	Height	Shipping Weight	How To Specify	Price
PUP-4 (For GHM-4C)	44-7/16" (1,124 mm)	40-1/8" (1,019 mm)	25-7/16" (645 mm)	Call Factory	GHM Base Option	\$2,800
PUP-5 (For GHM-5C)	57-3/8" (1,449 mm)	40-1/8" (1,019 mm)	25-7/16" (645 mm)	Call Factory	GHM Base Option	\$4,600
PUP-6 (For GHM-6C)	70-5/16" (1,786 mm)	40-1/8" (1,019 mm)	25-7/16" (645 mm)	Call Factory	GHM Base Option	\$5,500
PUP-8 (For GHM-8C)	96-1/4" (2,445 mm)	40-1/8" (1,019 mm)	25-7/16" (645 mm)	Call Factory	GHM Base Option	\$6,600

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Equipment Price List

Effective March 20, 2023

Food Prep & Support Equipment



Model	Width	Depth	Height	Shipping Weight	Capacity	How To Specify	Price
GOC	20" (508 mm)	17" (432 mm)	43-1/4" (1,099 mm)	67 lbs (29 kg)	80 lbs of Shortening (36 kg)	Oil Caddy	\$2,600
BBT-O Open-Cabinet Design	24" (610 mm)	30" (762 mm)	54-1/8" (1,375 mm)	195 lbs (88 kg)	Breading Pan: 20" x 12-13/16 x 8" Batter Dip Pan 20 x 13 x 6" Food Tote 18 x 26 x 6" Dunk Basket	BBT-O	\$4,500
LT	23-3/16" (590 mm)	26-5/16" (669 mm)	36-3/8" (924 mm)	35 lbs (16 kg)	N/A	Portable Landing Table Specify Racks or Shelf	\$1,800
LT-4 XPRESS-PEDITOR	23-3/16" (590 mm)	26-5/16" (669 mm)	36-3/8" (924 mm)	50 lbs (23 kg)	N/A	Multi-Functional Dump Station/ FIFO Control Cart	\$3,900

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.